



# MATERIAL PROPERTIES

**CORDUROY** P 2

**FELT**  
**FIBER**

**JEANS** P 3

**KVADRAT**  
**LEATHER**

**LEATHER** P 4

**LINEN**  
**MELEE**

**METAL** P 5

**PADDED**  
**SPECIALS**  
**STONE**

**VELOURS** P 6

**VINYL**

**VINYL** P 7

**WOOD**

**UNI COLOR** P 8 | 9





# MATERIAL PROPERTIES

	STYLEPADS	FIRE RESISTANCE	LIGHT FASTNESS	WEIGHT PER M <sup>2</sup>	ENVIROMENT & RECYCLING	QUALITY CERTIFICATION	FABRIC
CORDUROY	BLUEBERRY LINES	on request*	4 - 5	327	-	-	92% PES / 8% PA
	BUTTERCUP	on request*	4 - 5	327	-	-	92% PES / 8% PA
	FROZEN FIELD	on request*	4 - 5	327	-	-	92% PES / 8% PA
	MONITOR	on request*	4 - 5	327	-	-	92% PES / 8% PA
	NARANJA	on request*	4 - 5	327	-	-	92% PES / 8% PA
	WHITE ZEBRA	on request*	4 - 5	327	-	-	92% PES / 8% PA
FELT	ASTEROID	on request*	5	315	-	-	100% PES
	CANDY	on request*	5	315	-	-	100% PES
	FOG	on request*	4	315	-	-	100% PES
	GRAPE	on request*	5	315	-	-	100% PES
	MANGO	on request*	-	315	-	-	100% PES
	MUSTACHE	on request*	-	315	-	-	100% PES
	RASPBERRY	on request*	5	315	-	-	100% PES
	ROCK	on request*	6	315	-	-	100% PES
	STRAWBERRY	on request*	6	315	-	-	100% PES
	TANGERINE	on request*	6	315	-	-	100% PES
FIBER	BLUE BIRD	yes*	-	219	VinylPlus, ISO 14001, ISO 9017	-	50% wood pulp / 50% PES
	COCONUT	yes*	-	219	VinylPlus, ISO 14001, ISO 9017	-	50% wood pulp / 50% PES
	GOLDEN NEST	yes*	-	219	VinylPlus, ISO 14001, ISO 9017	-	50% wood pulp / 50% PES
	MERINO	on request*	5	350	OEKO-TEX norm	-	43% PP / 35% PES / 18% WO / 4% VI
	ROYAL BLUE	on request*	5	350	OEKO-TEX norm	-	43% PP / 35% PES / 18% WO / 4% VI
	SUFFOLK	on request*	5	350	OEKO-TEX norm	-	43% PP / 35% PES / 18% WO / 4% VI
	WOOLF	on request*	5	350	OEKO-TEX norm	-	43% PP / 35% PES / 18% WO / 4% VI

\*detailed information can be found in the specification [sheet Fire resistance](#)>



CO-CREATED BY *you.*



# MATERIAL PROPERTIES

	STYLEPADS	FIRE RESISTANCE	LIGHT FASTNESS	WEIGHT PER M <sup>2</sup>	ENVIROMENT & RECYCLING	QUALITY CERTIFICATION	FABRIC
JEANS	BLACK DENIM	on request*	5	420	-	-	85% CO / 15% PES
	DAILY DESERT	on request*	5	420	-	-	85% CO / 15% PES
	GLOBAL	on request*	5	420	-	-	85% CO / 15% PES
	GREY DENIM	on request*	5	420	-	-	85% CO / 15% PES
	KAKI	on request*	5	420	-	-	85% CO / 15% PES
	MARITIME	on request*	5	420	-	-	85% CO / 15% PES
	STONEWASH	on request*	-	530	-	-	47% CO / 44% PES / 9% VI
KVADRAT	CANVAS 2	yes*	5-7	480	EU ECOLABEL	DK/016/024	90% WOOL / 10% NYLON
	CODA 2	yes*	5-7	860	EU ECOLABEL	DK/016/024	90% WOOL / 10% NYLON
	DIVINA MD	yes*	5-6	840	EU ECOLABEL	DK/016/024	100% WOOL
	FLOYD	yes*	6-7	370	EU ECOLABEL	DK/016/024	45% WOOL / 50% PES / 5% NYLON
	HERO	yes*	5-7	580	EU ECOLABEL	DK/016/024	96% WOOL / 4% NYLON
	REMIX 2	yes*	5-7	415	EU ECOLABEL	DK/016/024	90% WOOL / 10% NYLON
	STEELCUT TRIO 3	yes*	5-7	770	EU ECOLABEL	DK/016/024	90% WOOL / 10% NYLON
LEATHER	BLUE RHINO	on request*	>5	642	-	-	100% PU (RUG 80% / PES / 20%CO)
	CAVE	yes*	-	330	-	-	100% PES
	DOLPHIN GREY	on request*	>5	642	-	-	100% PU (RUG 80% / PES / 20%CO)
	DUST	yes*	-	330	-	-	100% PES
	EQUADOR	yes*	-	330	-	-	100% PES
	ESPRESSO	on request*	>5	642	-	-	100% PU (RUG 80% / PES / 20%CO)
	NEVADA	on request*	3 - 4	294	-	-	100% PES
	NOMAD	yes*	-	330	-	-	100% PES
POMPEĀ	on request*	3 - 4	294	-	-	100% PES	

\*detailed information can be found in the specification [sheet Fire resistance](#)>





# MATERIAL PROPERTIES

	STYLEPADS	FIRE RESISTANCE	LIGHT FASTNESS	WEIGHT PER M <sup>2</sup>	ENVIROMENT & RECYCLING	QUALITY CERTIFICATION	FABRIC
LEATHER	SEABED	on request*	>5	642	-	-	100% PU (RUG 80% / PES / 20%CO)
	SILENCE	yes*	-	330	-	-	100% PES
	TAUPE CRUSH	on request*	>5	642	-	-	100% PU (RUG 80% / PES / 20%CO)
	UNDERGROUND	on request*	-	413	-	-	64% PES / 54% CO
LINEN	AQUA	yes*	3 - 4	485	-	-	80% PES / 20% LIN
	HONDURAS	on request*	6	300	-	-	100% PES
	IVORY BLACK	yes*	3 - 4	485	-	-	80% PES / 20% LIN
	SESAM	yes*	3 - 4	485	-	-	80% PES / 20% LIN
	TRUE BLUE	yes*	3 - 4	485	-	-	80% PES / 20% LIN
	VERMILLION	on request*	5	463	-	-	100% PES
	ZINC WHITE	yes*	3 - 4	485	-	-	80% PES / 20% LIN
MELEE	BOOK	on request*	5	209	OEKO-TEX norm	-	67% PL / 33% LI
	ECLIPSE	no*	5	700	-	-	100% PES
	GRAFFITI	on request*	5	259	OEKO-TEX norm	-	44% PP / 34% PES / 18% WO / 4% VI
	LIMBO	on request*	5	266	OEKO-TEX norm	-	43% PP / 34% WO / 15%PL / 8% VI
	MARS	no*	5	700	-	-	100% PES
	MOON	no*	5	700	-	-	100% PES
	PAGE	on request*	5	209	OEKO-TEX norm	-	67% PL / 33% LI
	POP ART	on request*	5	266	OEKO-TEX norm	-	43% PP / 34% WO / 15% PL / 8% VI
	SAHARA SAND	on request*	5	209	OEKO-TEX norm	-	67% PL / 33% LI
	VINTAGE BLUE	no*	5	326	OEKO-TEX norm	-	147% PES / 40% VI / 13% LI
	VINTAGE MINT	no*	5	429	OEKO-TEX norm	-	74% VI / 14% CO / 12% LI
	VINTAGE ORANGE	no*	5	354	OEKO-TEX norm	-	75% VI / 14% LI / 11% CO

\*detailed information can be found in the specification [sheet Fire resistance](#)>





# MATERIAL PROPERTIES

	STYLEPADS	FIRE RESISTANCE	LIGHT FASTNESS	WEIGHT PER M <sup>2</sup>	ENVIRONMENT & RECYCLING	QUALITY CERTIFICATION	FABRIC
METAL	GUN METAL	yes*	-	-	-	-	Aluminum, anodised
	KNITTED BRONZE	yes*	-	340	A-Xorel VOC certificate of compliance - BIO Xorel Gold	SCS certified	100% XOREL
	KNITTED COPPER	yes*	-	340	A-Xorel VOC certificate of compliance - BIO Xorel Gold	SCS certified	100% XOREL
	RED COPPER	yes*	-	-	-	-	Aluminum, finishing epoxy
	ROSE GOLD	yes*	-	-	-	-	Aluminum, finishing epoxy
	SILVER SPOON	yes*	-	-	-	-	Aluminium, afwerking
	TROMPET GOLD	yes*	-	-	-	-	Aluminum, finishing epoxy
PADDED	AVENTURINE BLUE	on request*	5	382	OEKO-TEX norm	-	59% PL / 41% CO
	CHECKERS	on request*	5	382	OEKO-TEX norm	-	59% PL / 41% CO
	CHECKMATE	on request*	5	382	OEKO-TEX norm	-	59% PL / 41% CO
	DIAMOND MINT	on request*	5	382	OEKO-TEX norm	-	59% PL / 41% CO
	LOCHNESS	on request*	5	382	OEKO-TEX norm	-	59% PL / 41% CO
	PURPLE RAIN	on request*	5	382	OEKO-TEX norm	-	59% PL / 41% CO
	WHIPCREAM	on request*	5	382	OEKO-TEX norm	-	59% PL / 41% CO
SPECIALS	CORTEN*	on request*	-	-	-	-	-
	IN THE ARMY	no*	-	-	-	-	-
	MOSS	no*	-	-	-	-	-
	SAILING HOME	no*	-	-	-	-	-
	HONEYCOMB	yes*	-	-	-	-	60% PVC / 40% PU (PU=polyerethaan)
STONE	BLACK STONE	yes*	-	-	-	EN 13986:2004	Cement bonded particleboard
	CONCRETE	yes*	-	-	-	EN 13986:2004	Cement bonded particleboard

\*detailed information can be found in the specification [sheet Fire resistance](#)>



CO-CREATED BY *you.*



# MATERIAL PROPERTIES

	STYLEPADS	FIRE RESISTANCE	LIGHT FASTNESS	WEIGHT PER M <sup>2</sup>	ENVIROMENT & RECYCLING	QUALITY CERTIFICATION	FABRIC
VELOURS	BLACK SWAN	no*	5	-	-	-	100% PES
	COFFEE BEAN	no*	5	260	-	-	100% PES
	FROZEN FOUNTAIN	yes*	5	379	-	-	100% PES
	IVORY	no*	5	-	-	-	100% PES
	JUKE GOLD	no*	5	-	-	-	100% PES
	MILKYWAY	on request*	-	455	-	-	100% CO
	NOSTALGIA	on request*	-	521	-	-	61% PL / 33% CO / 6% VI
	OLD DUTCH	on request*	5	430	-	-	96% PES / 4% CO
	SILKY DENIM	on request*	4	430	-	-	100% PES
	SPECTRUM	on request*	-	500	-	-	50% CO / 50% MODAL
VINYL	BLACK LABYRINTH	yes*	7 ISO 105 B-02	830	VinylPlus, ISO 14001, ISO 9001	grune punkt	PVC FOIL ON TEXTILE
	CHOCOLATE RAIN	yes*	7 ISO 105 B-02	350	VinylPlus, ISO 14001, ISO 9001	grune punkt	PVC FOIL ON TEXTILE
	CUBICLE LAVA	yes*	7 ISO 105 B-02	460	VinylPlus, ISO 14001, ISO 9001	grune punkt	PVC FOIL ON TEXTILE
	DESERT BY NIGHT	yes*	7 ISO 105 B-02	440	VinylPlus, ISO 14001, ISO 9001	grune punkt	PVC FOIL ON TEXTILE
	ELEPHANT	yes*	7 ISO 105 B-02	830	VinylPlus, ISO 14001, ISO 9001	grune punkt	PVC FOIL ON TEXTILE
	GALAXY GREEN	yes*	7 ISO 105 B-02	460	VinylPlus, ISO 14001, ISO 9001	grune punkt	PVC FOIL ON TEXTILE
	GOLD ARMOR	yes*	7 ISO 105 B-02	460	VinylPlus, ISO 14001, ISO 9001	grune punkt	PVC FOIL ON TEXTILE
	HARVEST GREEN	yes*	7 ISO 105 B-02	460	VinylPlus, ISO 14001, ISO 9001	grune punkt	PVC FOIL ON TEXTILE
	HIGHWAY	yes*	7 ISO 105 B-02	900	VinylPlus, ISO 14001, ISO 9001	grune punkt	PVC FOIL ON TEXTILE
	INCA BRONZE	yes*	7 ISO 105 B-02	460	VinylPlus, ISO 14001, ISO 9001	grune punkt	PVC FOIL ON TEXTILE
	JUNGLE BY NIGHT	yes*	7 ISO 105 B-02	440	VinylPlus, ISO 14001, ISO 9001	grune punkt	PVC FOIL ON TEXTILE
	LAVA FIELDS	yes*	7 ISO 105 B-02	460	VinylPlus, ISO 14001, ISO 9001	grune punkt	PVC FOIL ON TEXTILE
	LOBSTER	yes*	7 ISO 105 B-02	900	VinylPlus, ISO 14001, ISO 9001	grune punkt	PVC FOIL ON TEXTILE

\*detailed information can be found in the specification [sheet Fire resistance](#)>





# MATERIAL PROPERTIES

	STYLEPADS	FIRE RESISTANCE	LIGHT FASTNESS	WEIGHT PER M <sup>2</sup>	ENVIRONMENT & RECYCLING	QUALITY CERTIFICATION	FABRIC
VINYL	MOTHER OF PEARL	yes*	7 ISO 105 B-02	460	VinylPlus, ISO 14001, ISO 9001	grune punkt	PVC FOIL ON TEXTILE
	PEACH PROMISES	yes*	7 ISO 105 B-02	460	VinylPlus, ISO 14001, ISO 9001	grune punkt	PVC FOIL ON TEXTILE
	POLAR BEAR	yes*	7 ISO 105 B-02	830	VinylPlus, ISO 14001, ISO 9001	grune punkt	PVC FOIL ON TEXTILE
	SALMON PINK	yes*	7 ISO 105 B-02	460	VinylPlus, ISO 14001, ISO 9001	grune punkt	PVC FOIL ON TEXTILE
	SEA MUD	yes*	7 ISO 105 B-02	830	VinylPlus, ISO 14001, ISO 9001	grune punkt	PVC FOIL ON TEXTILE
	SPACE GREY	yes*	7 ISO 105 B-02	460	VinylPlus, ISO 14001, ISO 9001	grune punkt	PVC FOIL ON TEXTILE
	SPACE MOUSE	yes*	7 ISO 105 B-02	460	VinylPlus, ISO 14001, ISO 9001	grune punkt	PVC FOIL ON TEXTILE
	SQUARE PEARLS	yes*	7 ISO 105 B-02	460	VinylPlus, ISO 14001, ISO 9001	grune punkt	PVC FOIL ON TEXTILE
	STRIPED NIGHT	yes*	7 ISO 105 B-02	900	VinylPlus, ISO 14001, ISO 9001	grune punkt	PVC FOIL ON TEXTILE
	TURTLE DENIM	yes*	7 ISO 105 B-02	460	VinylPlus, ISO 14001, ISO 9001	grune punkt	PVC FOIL ON TEXTILE
WOOD	DUTCH OAK	yes*	-	-	FSC	FSC	WOOD VENEER
	EBONY	yes*	-	-	FSC	FSC	WOOD VENEER
	ROSEWOOD	yes*	-	-	FSC	FSC	WOOD VENEER
	WENGE CHOCOLATE	yes*	-	-	FSC	FSC	WOOD VENEER
	WENGE PRALINO	yes*	-	-	FSC	FSC	WOOD VENEER
	ZEBRANO	yes*	-	-	FSC	FSC	WOOD VENEER

\*detailed information can be found in the specification [sheet Fire resistance](#)>



# MATERIAL PROPERTIES

	STYLEPAD	FIRE RESISTANCE	LIGHT FASTNESS	FABRIC COMPOSITION	ENVIRONMENT & RECYCLING
UNI COLOR	ALGA RAL 5020	yes*	min. 2 years	MDF	70% PEFC MDF E1
	BEIGE BROWN RAL 8024	yes*	min. 2 years	MDF	70% PEFC MDF E1
	BLACK VIOLET RAL 5022	yes*	min. 2 years	MDF	70% PEFC MDF E1
	BRIMSTONE RAL 1-5	yes*	min. 2 years	MDF	70% PEFC MDF E1
	BURGUNDY RAL 3032	yes*	min. 2 years	MDF	70% PEFC MDF E1
	BUTTA RAL 1-7	yes*	min. 2 years	MDF	70% PEFC MDF E1
	CALYPSO LIGHT RAL 6019	yes*	min. 2 years	MDF	70% PEFC MDF E1
	CAPRI RAL 2-3	yes*	min. 2 years	MDF	70% PEFC MDF E1
	CHERRY RED RAL 3027	yes*	min. 2 years	MDF	70% PEFC MDF E1
	COCOA RAL 8011	yes*	min. 2 years	MDF	70% PEFC MDF E1
	COCOA LIGHT RAL 8-2	yes*	min. 2 years	MDF	70% PEFC MDF E1
	COCOA MIDDLE RAL 8-4	yes*	min. 2 years	MDF	70% PEFC MDF E1
	CRAZY GREY RAL 9023	yes*	min. 2 years	MDF	70% PEFC MDF E1
	DARK BROWN RAL 8022	yes*	min. 2 years	MDF	70% PEFC MDF E1
	DEEP BLACK RAL 9011	yes*	min. 2 years	MDF	70% PEFC MDF E1
	DEEP-SEA BLUE RAL 5-4	yes*	min. 2 years	MDF	70% PEFC MDF E1
	DOLPHIN BLUE RAL 5021	yes*	min. 2 years	MDF	70% PEFC MDF E1
	DUSTY PINK RAL 3012	yes*	min. 2 years	MDF	70% PEFC MDF E1
	EASTER YELLOW RAL 1016	yes*	min. 2 years	MDF	70% PEFC MDF E1
	EVERGLADE RAL 1019	yes*	min. 2 years	MDF	70% PEFC MDF E1
	FUTURE GREEN RAL 6-5	yes*	min. 2 years	MDF	70% PEFC MDF E1
	HAZELNUT RAL 8012	yes*	min. 2 years	MDF	70% PEFC MDF E1
	MARTHA MARINE RAL 6026	yes*	min. 2 years	MDF	70% PEFC MDF E1
	MENTHOL RAL 6-0	yes*	min. 2 years	MDF	70% PEFC MDF E1
	MOCCA CLASSIC RAL 9-4	yes*	min. 2 years	MDF	70% PEFC MDF E1
	NATO RAL 1035	yes*	min. 2 years	MDF	70% PEFC MDF E1

\*detailed information can be found in the specification [sheet Fire resistance](#)>



CO-CREATED BY *you.*





# MATERIAL PROPERTIES

	STYLEPAD	FIRE RESISTANCE	LIGHT FASTNESS	FABRIC COMPOSITION	ENVIRONMENT & RECYCLING
UNI COLOR	NOUGAT RAL 7-6	yes*	min. 2 years	MDF	70% PEFC MDF E1
	OLIVE REED RAL 6011	yes*	min. 2 years	MDF	70% PEFC MDF E1
	OLYMPIA BLUE RAL 6034	yes*	min. 2 years	MDF	70% PEFC MDF E1
	PEBBLE GREY RAL 9-6	yes*	min. 2 years	MDF	70% PEFC MDF E1
	PETROL RAL 5-1	yes*	min. 2 years	MDF	70% PEFC MDF E1
	PRUSSIAN BLUE DARK RAL 5-8	yes*	min. 2 years	MDF	70% PEFC MDF E1
	PURE ORANGE RAL 2-4	yes*	min. 2 years	MDF	70% PEFC MDF E1
	PURPLE RED RAL 3-7	yes*	min. 2 years	MDF	70% PEFC MDF E1
	RED ORANGE RAL 2-2	yes*	min. 2 years	MDF	70% PEFC MDF E1
	REED RAL 1036	yes*	min. 2 years	MDF	70% PEFC MDF E1
	RIVIERA RAL 6033	yes*	min. 2 years	MDF	70% PEFC MDF E1
	ROCK GREY RAL 7030	yes*	min. 2 years	MDF	70% PEFC MDF E1
	ROYAL ORANGE RAL2012	yes*	min. 2 years	MDF	70% PEFC MDF E1
	ROYAL PINK RAL 3018	yes*	min. 2 years	MDF	70% PEFC MDF E1
	RUST BROWN RAL 8023	yes*	min. 2 years	MDF	70% PEFC MDF E1
	RUSTIC RAL 8-3	yes*	min. 2 years	MDF	70% PEFC MDF E1
	SAPPHIRE BLUE RAL 5-3	yes*	min. 2 years	MDF	70% PEFC MDF E1
	SILVER DOLLAR RAL 7035	yes*	min. 2 years	MDF	70% PEFC MDF E1
	TAR BLACK GREY RAL 7026	yes*	min. 2 years	MDF	70% PEFC MDF E1
	TAR GREY RAL 7031	yes*	min. 2 years	MDF	70% PEFC MDF E1
	TELEMAGENTA RAL 4-6	yes*	min. 2 years	MDF	70% PEFC MDF E1
	TORNADO RED RAL 3033	yes*	min. 2 years	MDF	70% PEFC MDF E1
	TULIP BLUE MIDDLE RAL 5019	yes*	min. 2 years	MDF	70% PEFC MDF E1
TURQUOISE GREEN RAL 6-4	yes*	min. 2 years	MDF	70% PEFC MDF E1	
WILD WANE BLUE RAL 5-9	yes*	min. 2 years	MDF	70% PEFC MDF E1	

\*detailed information can be found in the specification [sheet Fire resistance](#)>

